



(1) **Supplementary Type Examination Certificate No. 3**

(2) **Equipment or Protective Systems Intended for Use
in Potentially Explosive Atmospheres
(Directive 2014/34/EU)**

(3) Type Examination Certificate number:

FTZÚ 09 ATEX 0083X

(4) Product: **X20 control and I/O system**

(5) Manufacturer: **B&R Industrial Automation GmbH**

(6) Address: **B&R Strasse 1, 5142 Eggelsberg, Austria**

(7) This supplementary certificate extends Type Examination Certificate No. FTZÚ 09 ATEX 0083X to apply to products designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

(8) The Physical-Technical Testing Institute certifies that this product, as modified by this supplementary certificate, has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive 2014/34/EU of the European Parliament and of the Council, dated 26.02.2014.


(9) In accordance with Article 41 of Directive 2014/34/EU, Type Examination Certificates referring to 94/9/EC that were in existence prior to the date of application of 2014/34/EU (20.04.2016) may be referenced as if they were issued in accordance with Directive 2014/34/EU. Supplementary Certificates to such Type Examination Certificates, and new issues of such certificates, may continue to bear the original certificate number issued prior to 20.04.2016.

(10) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN IEC 60079-0:2018, EN 60079-15:2010


If the sign "X" is placed after the certificate number, it indicates that the product is subject to Specific Conditions of Use specified in the schedule to this certificate.

(11) The marking of the product shall include the following:

 **II 3G Ex nA nC IIA T5 Gc**

(12) This certificate is valid till: **30.09.2026**

Responsible person:


Dipl. Ing. Lukáš Martinák
Head of Certification Body



Date of issue: 24.09.2021

Page: 1/2

This certificate is granted subject to the general conditions of the FTZÚ, s.p.
This certificate may only be reproduced in its entirety and without any change, schedule included.



Physical-Technical Testing Institute
Ostrava - Radvanice

(13)

Schedule

(14)

Supplementary Type Examination Certificate No. 3
to FTZÚ 09 ATEX 0083X

(15) Description of the variation to the Product:

The subject of this supplementary certificate is:

- Evaluation according to the newest standard EN IEC 60079-0:2018.
- Prolongation of certificate validity.

No design changes have been made to the product.

Electrical parameters remain unchanged.

The product is verified according to the newest standard EN IEC 60079-0:2018.

(16) Report Number.: 09/0083/3

(17) Specific Conditions of Use:

1. Ambient temperature range: $-40^{\circ}\text{C} \leq T_{\text{amb}} \leq +60^{\circ}\text{C}$
2. The equipment must only be mounted into the enclosures with a minimum IP 54 protection and with a mechanical strength in accordance with the standards mentioned in clause (10) of this supplement.


(18) Essential Health and Safety Requirements:

Compliance with the Essential Health and Safety Requirements is covered by standards mentioned in clause (10) of this supplementary certificate.

(19) Drawings and Documents:

Number	Sheet	Issue	Date	Description
060006407	2	1.4.	21.07.2021	Operation instruction

Responsible person:


Dipl. Ing. Lukáš Martinák
Head of Certification Body



Date of issue: 24.09.2021

Page: 2/2

This certificate is granted subject to the general conditions of the FTZÚ, s.p.
This certificate may only be reproduced in its entirety and without any change, schedule included.